



Accredited to LST EN ISO/IEC 17025:2018

**Electromagnetic Compatibility Division
Spectrum and Equipment Surveillance Department
Communications Regulatory Authority of the Republic of Lithuania**

Address: Zarasu str. 38, LT-44140 Kaunas

**SCOPE OF ACCREDITATION
(flexible)***

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
Industrial, scientific and medical equipment Household appliances, electric tools and similar apparatus Electrical lighting and similar equipment Multimedia equipment Radio equipment Telecommunications terminal equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks	Conducted continuous disturbance test (frequency range 9 kHz to 30 MHz; AC power port)	LST EN 55016-2-1 (EN 55016-2-1) CISPR 16-2-1 LST EN 55011 (EN 55011) LST EN IEC 55014-1 (EN IEC 55014-1) CISPR 14-1 LST EN IEC 55015 (EN IEC 55015) CISPR 15 LST EN 55032 (EN 55032) CISPR 32 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3 LST EN IEC 61000-6-8 (EN IEC 61000-6-8) IEC 61000-6-8 LST EN IEC 61000-6-4 (EN IEC 61000-6-4) IEC 61000-6-4 LST EN 50083-2 (EN 50083-2) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12015 (EN 12015) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34	Conducted disturbance

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
<p>Multimedia equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments apparatus for professional use Radio equipment</p>	<p>Conducted continuous disturbance test (frequency range 150 kHz to 30 MHz; wired network port and antenna port)</p>	<p>(ETSI EN 301 489-34 LST EN 55032 (EN 55032) CISPR 32 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3 LST EN IEC 61000-6-8 (EN IEC 61000-6-8) IEC 61000-6-8 LST EN IEC 61000-6-4 (EN IEC 61000-6-4) IEC 61000-6-4 LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)</p>	<p>Conducted disturbance</p>
<p>Industrial, scientific and medical equipment Household appliances, electric tools and similar apparatus Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments</p>	<p>Conducted discontinuous disturbance test (frequency range 150 kHz to 30 MHz; AC power port)</p>	<p>LST EN 55011 (EN 55011) LST EN IEC 55014-1 (EN IEC 55014-1) CISPR 14-1 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3 LST EN IEC 61000-6-4 (EN IEC 61000-6-4) IEC 61000-6-4</p>	<p>Conducted disturbance</p>
<p>Multimedia equipment</p>	<p>Conducted continuous disturbance test (frequency range 30 MHz to 2150 MHz; antenna port)</p>	<p>LST EN 55032 (EN 55032) CISPR 32</p>	<p>Conducted disturbance</p>
<p>Industrial, scientific and medical equipment Household appliances, electric tools and similar apparatus Electrical lighting and similar equipment Multimedia equipment Radio equipment Telecommunications terminal equipment Electrical and electronic apparatus for residential,</p>	<p>Radiated disturbance test (frequency range 30 MHz to 18 000 MHz; enclosure port)</p>	<p>LST EN 55016-2-3 (EN 55016-2-3) CISPR 16-2-3 LST EN 55011 (EN 55011) LST EN IEC 55014-1 (EN IEC 55014-1) CISPR 14-1 LST EN IEC 55015 (EN IEC 55015), CISPR 15, LST EN 55032 (EN 55032) CISPR 32</p>	<p>Radiated disturbance</p>

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
<p>commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks</p>		<p>LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3 LST EN IEC 61000-6-8 (EN IEC 61000-6-8) IEC 61000-6-8 LST EN IEC 61000-6-4 (EN IEC 61000-6-4) IEC 61000-6-4 LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12015 (EN 12015) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)</p>	
<p>Equipment with input current ≤ 16 A per phase Electrical and electronic apparatus for residential, commercial and light-industrial environments Industrial, scientific and medical equipment Low-voltage power supplies Electrical equipment for measurement, control and laboratory use Radio equipment Telecommunications terminal equipment</p>	<p>Harmonic current emissions test (frequency range 50 Hz to 2000 Hz or 60 Hz to 2400 Hz; AC power port)</p>	<p>LST EN IEC 61000-3-2 (EN IEC 61000-3-2) IEC 61000-3-2 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3 LST EN IEC 61000-6-8 (EN IEC 61000-6-8) IEC 61000-6-8 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)</p>	<p>Conducted disturbance</p>
<p>Equipment with rated current ≤ 16 A per phase and not subject to conditional connection Electrical and electronic apparatus for residential,</p>	<p>Voltage changes, voltage fluctuations and flicker in public low-voltage supply systems test (AC power port)</p>	<p>LST EN 61000-3-3 (EN 61000-3-3) IEC 61000-3-3 LST EN IEC 61000-6-3 (EN IEC 61000-6-3) IEC 61000-6-3</p>	<p>Conducted disturbance</p>

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
<p>commercial and light-industrial environments Industrial, scientific and medical equipment Low-voltage power supplies Electrical equipment for measurement, control and laboratory use Radio equipment Telecommunications terminal equipment</p>		<p>LST EN IEC 61000-6-8 (EN IEC 61000-6-8) IEC 61000-6-8 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)</p>	
<p>Household appliances, electric tools and similar apparatus Multimedia equipment Sound and television broadcast receivers and associated equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone terminal and xDSL terminal equipment)</p>	<p>Electrostatic discharge immunity test (0.2 – 8.8 kV contact discharge; 0.2 – 30 kV air discharge; enclosure port)</p>	<p>LST EN 61000-4-2 (EN 61000-4-2) IEC 61000-4-2 LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN 60601-2-24 (EN 60601-2-24) LST EN 50130-4 (EN 50130-4) LST EN 50083-2 (EN 50083-2) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34</p>	<p>Immunity to air and contact discharges</p>

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
<p>Household appliances, electric tools and similar apparatus Multimedia equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone terminal and xDSL terminal equipment)</p>	<p>Radiated, radio-frequency, electromagnetic field immunity test (80 – 4000 MHz frequency range, field strength up to 30 V/m; 4 – 6 GHz frequency range, field strength up to V/m; enclosure port)</p>	<p>(ETSI EN 301 489-34) LST EN IEC 61000-4-3 (EN IEC 61000-4-3) IEC 61000-4-3 LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN 60601-2-24 (EN 60601-2-24) LST 60601-2-37 (EN 60601-2-37) IEC 60601-2-37 LST EN 50130-4 (EN 50130-4) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)</p>	<p>Immunity to continuous radiated disturbance</p>
<p>Household appliances, electric tools and similar apparatus Multimedia equipment Sound and television broadcast receivers and associated equipment Information technology equipment Electrical and electronic apparatus for residential,</p>	<p>Electrical fast transient/burst immunity test (0.2 – 4.8 kV bursts; AC power port, signal port and telecommunication port)</p>	<p>LST EN 61000-4-4 (EN 61000-4-4) IEC 61000-4-4 LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 (EN IEC 61000-6-2)</p>	<p>Immunity to transient conducted disturbance</p>

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone terminal and xDSL terminal equipment)		IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN 50130-4 (EN 50130-4) LST EN 50083-2 (EN 50083-2) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)	
Household appliances, electric tools and similar apparatus Multimedia equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone	Surge immunity test (0.2 – 6.6 kV surges; AC power port)	LST EN 61000-4-5 (EN 61000-4-5) IEC 61000-4-5 LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST EN 50130-4 (EN 50130-4) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016)	Immunity to transient conducted disturbance

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
terminal and xDSL terminal equipment)		LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)	
Household appliances, electric tools and similar apparatus Multimedia equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone terminal and xDSL terminal equipment)	Immunity to conducted disturbances, induced by radio-frequency fields test (0.1 – 266 MHz frequency range; disturbance voltage $\leq 20 V_{ef}$; AC power port, signal port and telecommunication port)	LST EN 61000-4-6 (EN 61000-4-6) LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST 60601-2-37 (EN 60601-2-37) IEC 60601-2-37 LST EN 50130-4 (EN 50130-4) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)	Immunity to continuous conducted disturbance
Multimedia equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment	Power frequency magnetic field immunity test (at 50 Hz or 60 Hz frequency; field strength 0.1 – 40 A/m; enclosure port)	LST EN 61000-4-8 (EN 61000-4-8) IEC 61000-4-8 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2	Immunity to radiated magnetic disturbance

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
Equipment for general lighting purposes (excluding telephone terminal and xDSL terminal equipment and equipment with CRT display)		(EN 60601-1-2) IEC 60601-1-2 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 61547 (EN 61547)	
Household appliances, electric tools and similar apparatus Multimedia equipment Information technology equipment Electrical and electronic apparatus for residential, commercial and light-industrial environments Electrical and electronic apparatus for industrial environments Industrial, scientific and medical equipment Alarm systems Equipment for general lighting purposes Electrical equipment for measurement, control and laboratory use Low-voltage power supplies Lifts, escalators and moving walks Radio equipment Telecommunications terminal equipment (excluding telephone terminal and xDSL terminal equipment)	Voltage dips, short interruptions and voltage variations immunity tests (100%, 60%, 30%, 20% voltage dips of rated voltage U_T ; AC power port)	LST EN IEC 61000-4-11 (EN IEC 61000-4-11), IEC 61000-4-11 LST EN IEC 55014-2 (EN IEC 55014-2) CISPR 14-2 LST EN 55035 (EN 55035) LST EN IEC 61000-6-1 (EN IEC 61000-6-1) IEC 61000-6-1 LST EN IEC 61000-6-2 (EN IEC 61000-6-2) IEC 61000-6-2 LST EN 60601-1-2 (EN 60601-1-2) IEC 60601-1-2 LST 60601-2-37 (EN 60601-2-37) LST EN 50130-4 (EN 50130-4) LST EN 61547 (EN 61547) LST EN IEC 61326-1 (EN IEC 61326-1) IEC 61326-1 LST EN IEC 61204-3 (EN IEC 61204-3) LST EN 12016 (EN 12016) LST ETSI EN 301 489-1 (ETSI EN 301 489-1) LST ETSI EN 301 489-34 (ETSI EN 301 489-34)	Immunity to transient conducted disturbance
Household appliances, electric tools and similar apparatus	Harmonics and interharmonics including mains signalling at AC power port, low frequency immunity tests (AC power port)	LST EN 61000-4-13 (EN 61000-4-13) IEC 61000-4-13	Immunity to continuous conducted disturbance
Radio equipment	RF output power, Effective radiated power test	LST EN 300 086 (EN 300 086) LST EN 300 113	Radiated signals

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
	(radiated measurement in the frequency range 25 MHz to 40 GHz)	(EN 300 113) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2) LST EN 300 296 (EN 300 296) LST EN 300 328 (EN 300 328) LST EN 300 390-1 (EN 300 390-1) LST EN 300 390-2 (EN 300 390-2) LST EN 300 422-1 (EN 300 422-1) LST EN 300 422-2 (EN 300 422-2) LST EN 300 440 (EN 300 440)	(antenna substitution method)
Radio equipment	RF output power, Effective radiated power test (conducted measurements)	LST EN 300 086 (EN 300 086) LST EN 300 113 (EN 300 113) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2) LST EN 300 328 (EN 300 328)	Conducted signals
Radio equipment	RF output power, Transmit Power Control (TPC) and Power Density (conducted and radiated measurements)	LST EN 301 893 (ETSI EN 301 893)	Conducted signals
Radio equipment	Power spectral density test	LST EN 300 328 (EN 300 328)	Conducted signals
Radio equipment	Carrier frequencies (conducted and radiated measurements)	LST EN 301 893 (ETSI EN 301 893)	Radiated or conducted signals
Radio equipment	Occupied channel bandwidth test	LST EN 300 328 (EN 300 328) LST EN 301 893 (ETSI EN 301 893) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2)	Radiated or conducted signals
Radio equipment	Frequency error test	LST EN 300 086 (EN 300 086) LST EN 300 113	Radiated or conducted signals

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
		(EN 300 113) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2)	
Radio equipment	Frequency deviation test (conducted)	LST EN 300 086 (EN 300 086)	Conducted signals
Radio equipment	Transmitter unwanted emissions outside the 5 GHz RLAN bands (conducted and radiated measurements)	LST EN 301 893 (ETSI EN 301 893)	Radiated and conducted signals
Radio equipment	Transmitter unwanted emissions within the 5 GHz RLAN bands (conducted and radiated measurements)	LST EN 301 893 (ETSI EN 301 893)	Radiated and conducted signals
Radio equipment	Transmitter unwanted emissions in the out-of-band domain test (radiated measurement)	LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2) LST EN 300 328 (EN 300 328)	Radiated signals
Radio equipment	Transmitter unwanted emissions in the out-of-band domain test (conducted measurement)	LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2) LST EN 300 328 (EN 300 328)	Conducted disturbance
Radio equipment	Unwanted emissions in the spurious domain test (cabinet radiation in the frequency range 25 MHz to 40 GHz)	LST EN 300 086 (EN 300 086) LST EN 300 113 (EN 300 113) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2) LST EN 300 296 (EN 300 296) LST EN 300 328 (EN 300 328) LST EN 300 390-1 (EN 300 390-1) LST EN 300 390-2 (EN 300 390-2) LST EN 300 422-1 (EN 300 422-1) LST EN 300 422-2 (EN 300 422-2) LST EN 300 440	Radiated disturbance (antenna substitution method)

Materials or products tested	Component, parameter or characteristic to be tested	Reference number of the document specifying test methods, clause (if relevant)	Techniques, methods and/or equipment used (where appropriate)
		(EN 300 440) LST EN 300 609-4 (EN 300 609-4)	
Radio equipment	Unwanted emissions in the spurious domain test (conducted measurements)	LST EN 300 086 (EN 300 086) LST EN 300 113 (EN 300 113) LST EN 300 220-1 (EN 300 220-1) LST EN 300 220-2 (EN 300 220-2)	Conducted disturbance
Radio equipment	Receiver spurious emissions (conducted and radiated measurements)	LST EN 300 328 (EN 300 328) LST EN 301 893 (ETSI EN 301 893)	Radiated and conducted signals
Radio equipment	Adaptivity (channel access mechanism)	LST EN 300 328 (EN 300 328) LST EN 301 893 (ETSI EN 301 893)	Conducted signals
Vehicles and electrical/electronic sub-assembly	Broadband radiated electromagnetic disturbances test (frequency range 30 MHz to 1000 MHz; enclosure port; exclude "REESS charging mode coupled to the power grid" configuration of vehicle)	E/ECE/324/Add.9 E/ECE/TRANS/505/Add.9 (UN Regulation No.10)	Radiated disturbance
Vehicles and electrical/electronic sub-assembly	Narrowband radiated electromagnetic disturbances test (frequency range 30 MHz to 1000 MHz; enclosure port)	E/ECE/324/Add.9 E/ECE/TRANS/505/Add.9 (UN Regulation No.10)	Radiated disturbance

*Defined and applicable for the whole accreditation scope following degrees of flexibility: application of the updated documents of test methods already covered by accreditation or replacing them.

*Actual scope of accreditation is published on the website

<https://www.rtt.lt/aparatai-ir-irenginiai/atitikties-vertinimas-bandymai/akredituota-veikla/>

Director



D. Baležentė

Dalia Baležentė

Note. In case of any discrepancies, ambiguities or disputes regarding the subject matter content between the English and Lithuanian versions of the document, the Lithuanian version shall prevail.